



1 EAST ELEVATION
1/4" = 1'-0"



2 ENLARGED WEST ELEVATION @ LOADING DOCKS
1/4" = 1'-0"




3 ENLARGED SOUTH ELEVATION
1/4" = 1'-0"

PRECAST LEGEND
1/2" = 1'-0"

- INSULATED PRE-CAST PANEL - ACID ETCHED FINISH - FACE PANEL = 3", INSULATION = 4", BACK PANEL = 3"
- INSULATED PRE-CAST PANEL - ACID ETCHED FINISH - FACE PANEL = 5", INSULATION = 4", BACK PANEL = 3"
- INSULATED PRE-CAST PANEL - ABRASIVE BLAST - FACE PANEL = 3", INSULATION = 4", BACK PANEL = 3"
- INSULATED PRE-CAST PANEL - ABRASIVE BLAST FINISH - FACE PANEL = 5", INSULATION = 4", BACK PANEL = 3"
- INSULATED PRE-CAST PANEL - ACID ETCHED FINISH - FACE PANEL = 3 3/4", INSULATION = 4", BACK PANEL = 3"
- INSULATED PRE-CAST PANEL - ACID ETCHED FINISH - FACE PANEL = 4 1/2", INSULATION = 4", BACK PANEL = 3"

NOTE: FACE OF BACK PANELS ARE TO LINE UP WITH EACH OTHER.
NOTE: SEE DETAIL 8/2-A25 FOR TYPICAL PRECAST VERTICAL JOINT WHERE TWO PANELS JOIN.



<p>Revisions</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50px; height: 20px;"> </td> <td style="width: 50px; height: 20px;"> </td> </tr> <tr> <td style="width: 50px; height: 20px;"> </td> <td style="width: 50px; height: 20px;"> </td> </tr> </table>					<p style="text-align: center;">SHIVEHATTERY ARCHITECTURE+ENGINEERING</p> <p style="font-size: small;">2834 Northgate Drive Iowa City, Iowa 52245 319.354.5040 fax 319.354.6921 shive-hattery.com Iowa Illinois Missouri</p>	<p>Drawing Title ENLARGED EXTERIOR ELEVATIONS</p> <p>Approved: Division Chief Approved: Service Director</p>	<p>Project Title RENOVATE AND EXPAND SPACE FOR PATIENT SUPPORT AREAS</p> <p>Building Number: 2</p> <p>Location IOWA CITY VA HEALTH CARE SYSTEM IOWA CITY, IOWA</p>	<p>Date: 12-05-2014 CONSTRUCTION DOCUMENTS</p> <p>Project No. DVA# 6536-311 S-H # 110240-0</p> <p>DRAWING No. 2-A3.1</p> <p style="font-size: x-small;">Dwg. 21 of 35</p>